


Features of the 'BukyVede' Font

Sebastian Kempgen



Documentation for v. 2.001 of the BukyVede font,
released April. 2014

The blueprint for the Bukyvede typeface



Acknowledgements

The BukyVede font is the typeface used by the journal «Polata knigopisnaja» (Mario Capaldo and William R. Veder, eds.), published by William R. Veder & Michael Bakker, Slavisch Seminarium, Amsterdam.

The digital font is based on CyrillicaOhrid and GlagolicaBulgarian (with additions from Rumen Lazov), adapted to Unicode 5.1 and enhanced by William R. Veder, Chicago; additional touches, more characters, technical and design updates, font generation and maintainance by Sebastian Kempgen, Bamberg, 2008-2014.

Bold weight created by Sebastian Kempgen 2011, Latin ABC created by Sebastian Kempgen 2013 and added to v. 2.0. All rights reserved.

Unicode 7.0 updates in the Cyrillic-Extended B block added to v. 2.001. All superscripts slightly larger. Greek punctuation added.

Copyright and Legal

All rights to their individual contributions remain with the original authors. The font is free to use, but not in the public domain.

Unicode Blocks

On the next pages, the Unicode blocks supported by the font are given.
Above each cell, you will see the Unicode code associated with a given glyph.

Cyrillic (see Private Use Area for certain alternate character variants)

Cyrillic Supplemental

--- (no Slavonic characters in this block)

Cyrillic Extended B (letters, superscripts, and combining superscripts; Unicode 7.0 updates marked)

A640	A641	A642	A643	A644	A645	A646	A647	A648	A649	A64A	A64B	A64C	A64D	A64E	A64F
҃	҄	҅	҆	҇	҈	҉	Ҋ	ҋ	Ҍ	ҍ	Ҏ	ҏ	Ґ	ґ	Ғ
A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A65A	A65B	A65C	A65D	A65E	A65F
Ҍ	Ҕ	ҕ	Җ	җ	҈	ҙ	Қ	қ	Ҝ	ҝ	Ҟ	ҟ	Ҟ	ҟ	Ҟ
A660	A661	A662	A663	A664	A665	A666	A667	A668	A669	A66A	A66B	A66C	A66D	A66E	A66F
Ҍ	Ҕ	ҕ	Җ	җ	҈	ҙ	Қ	қ	Ҝ	ҝ	Ҟ	ҟ	Ҟ	ҟ	Ҟ
A670	A671	A672	A673	A674	A675	A676	A677	A678	A679	A67A	A67B	A67C	A67D	A67E	A67F
Ҍ	Ҕ	ҕ	Җ	җ	҈	ҙ	Қ	қ	Ҝ	ҝ	Ҟ	ҟ	Ҟ	ҟ	Ҟ
A680	A681	A682	A683	A684	A685	A686	A687	A688	A689	A68A	A68B	A68C	A68D	A68E	A68F
Unicode 7.0 updates															
A690	A691	A692	A693	A694	A695	A696	A697	A698	A699	A69A	A69B	A69C	A69D	A69E	A69F
								∞	∞	⊕	⊕	ؘ	ؙ	ؚ	ؚ

Nota bene: the “jers” added in Unicode 7.0 are spacing characters, not combining superscripts. According to the official Unicode documentation, they are for Lithuanian dialectology but may be useful for Slavicists nevertheless.

Cyrillic Extended A (more combining superscripts)

҂	҃	҄	҅	҆	҇	҈	҉	Ҋ	ҋ	Ҍ	ҍ	Ҏ	ҏ	Ґ	Ғ
҂	҃	҄	҅	҆	҇	҈	҉	Ҋ	ҋ	Ҍ	ҍ	Ҏ	ҏ	Ґ	Ғ
҂	҃	҄	҅	҆	҇	҈	҉	Ҋ	ҋ	Ҍ	ҍ	Ҏ	ҏ	Ґ	Ғ
҂	҃	҄	҅	҆	҇	҈	҉	Ҋ	ҋ	Ҍ	ҍ	Ҏ	ҏ	Ґ	Ғ

Glagolitic

Private Use Area (combining diacritics for uppercase characters, Cyrillic and Glagolitic character variations, more superscripts)

Basic Latin

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D	002E	002F
	!	"	#	\$	%	€	'	()	*	+	,	-	.	/
0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E	003F
Ø	Í	Ž	Þ	Å	Œ	½	ƒ	߱	߲	ߴ	߶	߷	߸	߹	߻
0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F
ࡏ	ࡒ	ࡓ	ࡔ	ࡕ	ࡖ	ࡗ	ࡘ	࡙	࡚	࡛	࡜	࡝	࡞	࡟	ࡠ
0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F
ࡑ	ࡒ	ࡓ	ࡔ	ࡕ	ࡖ	ࡗ	ࡘ	࡙	࡚	࡛	࡜	࡝	࡞	࡟	ࡠ
ࡑ	ࡒ	ࡓ	ࡔ	ࡕ	ࡖ	ࡗ	ࡘ	࡙	࡚	࡛	࡜	࡝	࡞	࡟	ࡠ
0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D	006E	006F
ࡑ	ࡒ	ࡓ	ࡔ	ࡕ	ࡖ	ࡗ	ࡘ	࡙	࡚	࡛	࡜	࡝	࡞	࡟	ࡠ
ࡑ	ࡒ	ࡓ	ࡔ	ࡕ	ࡖ	ࡗ	ࡘ	࡙	࡚	࡛	࡜	࡝	࡞	࡟	ࡠ
0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	007F
ࡑ	ࡒ	ࡓ	ࡔ	ࡕ	ࡖ	ࡗ	ࡘ	࡙	࡚	࡛	࡜	࡝	࡞	࡟	ࡠ

General Punctuation

Supplemental Punctuation (editorial marks)

Combining Diacritics

0300	0301	0302	0303	0304	0305	0306	0307	0308	0309	030A	030B	030C	030D	030E	030F
'	'	~	~	-	-	~	*	**	?	o	"	v	I	II	"
0310	0311	0312	0313	0314	0315	0316	0317	0318	0319	031A	031B	031C	031D	031E	031F
~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
0320	0321	0322	0323	0324	0325	0326	0327	0328	0329	032A	032B	032C	032D	032E	032F
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0330	0331	0332	0333	0334	0335	0336	0337	0338	0339	033A	033B	033C	033D	033E	033F
~	-	-	=	~	-	-	/	/	>	~	□	~	*	~	-
0340	0341	0342	0343	0344	0345	0346	0347	0348	0349	034A	034B	034C	034D	034E	034F
~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
0350	0351	0352	0353	0354	0355	0356	0357	0358	0359	035A	035B	035C	035D	035E	035F
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0360	0361	0362	0363	0364	0365	0366	0367	0368	0369	036A	036B	036C	036D	036E	036F
~	~	~	a	e	i	o	u	c	d	h	m	r	t	v	x

Combining Diacritics Supplemental (Comb. Half Marks)

**Bibliographische Angaben / Bibliographical Entry:**

Sebastian Kempgen: Features of the BukyVede Font (v. 2.001). Published electronically, University of Bamberg 2014. 10 pp.

Copyright und Lizenz / Copyright and License:

© Prof. Dr. Sebastian Kempgen 2014

Bamberg University, Germany, Slavic Linguistics

<http://www.uni-bamberg.de/slavling/personal/prof-dr-sebastian-kempgen/>
<mailto:sebastian.kempgen@uni-bamberg.de>

License: by-nc-nd



April 2014, v. 2.1

Font Download:

<http://kodeks.uni-bamberg.de/AKSL/Schrift/BukyVede.htm>

